PERMANENT MAKE-UP PIGMENTS trademark "Pigments of Alina Shakhova" (AS PIGMENTS)

TY 20.42.15 - 001 - 31408812 - 2020 Version: 1.0 / EN

Page 1 of 7 .

Revision date: 09.01.2020 г.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier Registration number does not exist, as the annual tonnage does not require registration.

Registration number does not exist, as the annual tonnage does not require registration.

Product Name L6-FERRARI lip pigment (Aqua 30%; Glycerin 8%; Methanol 7%; Hamamelis Virginiana leaf extract 2%; Cl 77491-16%, Cl 77891-12%, Cl 47005-14%; Cl 16255-11%.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses	For permanent make-up.	
	The product should NOT be used in the eye.	
	Product for professional use in accordance to the ResAP (2008) 1.	
1.3 Details of the supplier of the safe	ety data sheet	
Company Name	LLC «Dina +», 142800, Russia, ct. Stupino, Moscow region, st.	
Address	Transportnaya, ownership 22/2	
By order	SP Shakhmelyan Eduard Romanovich 350059	
	Russia, ct. Krasnodar, st. Lane Named after Kostychev 13	
Phone / Fax	89604792850	
Email	info@as-pigments.ru	
Competent person responsible	info@as-pigments.ru	
for the SDS		
Emergency telephone number	88002007531	

SECTION 2: Hazards identification

2.1 Classification of the substance or Classification according to	Not classified
Regulation (EC) No 1272/2008	
2.2 Label elements	
Hazard pictograms	Not classified as hazardous and does not require labelling
Signal word	No signal word
Hazard statements	N/A
Precautionary statements	N/A
2.3 Other hazards	

Product does not contain any PBT or vPvB substances.

SECTION 3: Composition/information on ingredients

3.1 COMPOSITION

Name / Color	Cl	CAS	EC
Iron Oxide Red	77491	1309-37-1	215-168-2
White. Titanium dioxide	77891	13463-67-7	236-675-5
Acid Yellow	47005	8004-92-0	305-897-5
Food Red 7	16255	2611-82-7	220-036-2

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH)

PERMANENT MAKE-UP PIGMENTS

trademark "Pigments of Alina Shakhova" (AS PIGMENTS)

ТУ 20.42.15 - 001 - 31408812 - 2020

Version: 1.0 / EN	Page 2 of 7	Revision date: 09.01.2020 г.

Other ingredients:

Name	CAS	EC	Classification
Aqua	7732-18-5	231-791-2	Not Classified
Methanol	67-56-1	200-659-6	H225 H301 H311 H331 H370 Flam. Liq.2 Acute Tox.3 STOT SE 1
Glycerin	56-81-5	200-289-5	Not Classified
Hamamelis Viginiana Leaf Extract	84696-19-5	283-637-9	Not Classified

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

SECTION 3: Composition/information on ingredients			
4.1 Description of first aid measures			
General information	Immediate medical attention is not required. As no serious harm is to be		
	expected regardless kind and duration of any exposition, a mild cleaning		
	of the related area is suggested.		
Inhalation	Get medical attention in case of discomfort		
Skin contact	Product is intended to be applied into the skin, generally no harm possible		
	due to the product itself. In case the skin has to be cleaned prior to use,		
	use mild cleaning products / water.		
Eye contact	Immediately flush eyes with plenty of water, occasionally lifting the upper		
	and lower eyelids. Check for and remove any contact lenses. Continue to		
	rinse for at least 10 minutes. Get medical attention if irritation occurs.		
Ingestion	Rinse mouth with water and drink afterwards plenty of water. Do not		

SECTION 3: Composition/information on ingredients

induce vomiting

4.1 Description of first aid measure	S
Symptoms	No known significant symptoms.
Effects	No known significant effects or critical hazards.
4.3 Indication of any immediate me	edical attention and special treatment needed
Notes to physician	Treat patient symptomatically.
Specific treatments	No specific treatment.
	SECTION 5: Firefighting measures
5.1 Extinguishing media	
Suitable extinguishing media	Use fire-extinguishing media appropriate for surrounding materials.
Unsuitable extinguishing media	None known.
5.2 Special hazards arising from the	e substance or mixture.
Hazardous combustion	Product is not combustible and non-flammable. In combustion, packaging
products	materials emits toxic fumes.
SAFETY DATA SHEET	
according to Regulation (EC) No 1907/2006	(REACH)
	(
PERMANENT MAKE-UP PIGMENTS	
trademark "Pigments of Alina Shak	shova" (AS PIGMENTS)
TY 20.42.15 – 001 – 31408812 – 20 Version: 1.0 / EN	20 Page 3 of 7 Revision date: 09.01.2020
5.3 Advice for fire-fighters	
Special protective actions for	Promptly isolate the scene by removing all persons from the vicinity of the
	incident if there is a fire. No action shall be taken involving any personal
	risk or without suitable training.
	Fire-fighters should wear appropriate protective equipment and self-
	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in
fire-fighters Special protective equipment for fire-fighters	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Wear other appropriate protective equipment as
	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in
	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Wear other appropriate protective equipment as
equipment for fire-fighters	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Wear other appropriate protective equipment as conditions warrant (see Section 8).
equipment for fire-fighters 5.1 Personal precautions, protectiv	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Wear other appropriate protective equipment as conditions warrant (see Section 8). SECTION 6: Accidental release measures
equipment for fire-fighters 5.1 Personal precautions, protectiv For non-emergency personnel	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Wear other appropriate protective equipment as conditions warrant (see Section 8). SECTION 6: Accidental release measures
equipment for fire-fighters 5.1 Personal precautions, protectiv For non-emergency personnel For emergency responders	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Wear other appropriate protective equipment as conditions warrant (see Section 8). SECTION 6: Accidental release measures re equipment and emergency procedures No harm expected.
equipment for fire-fighters 5.1 Personal precautions, protectiv For non-emergency personnel For emergency responders 5.2 Environmental precautions	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Wear other appropriate protective equipment as conditions warrant (see Section 8). SECTION 6: Accidental release measures re equipment and emergency procedures No harm expected.
equipment for fire-fighters 6.1 Personal precautions, protectiv For non-emergency personnel For emergency responders 6.2 Environmental precautions Environmental precautions	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Wear other appropriate protective equipment as conditions warrant (see Section 8). SECTION 6: Accidental release measures re equipment and emergency procedures No harm expected. No harm expected. No harm expected. No special precautions necessary. Not harmful to the environment. No special precautions necessary.
equipment for fire-fighters	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Wear other appropriate protective equipment as conditions warrant (see Section 8). SECTION 6: Accidental release measures re equipment and emergency procedures No harm expected. No harm expected. No harm expected. No special precautions necessary. Not harmful to the environment. No special precautions necessary.
equipment for fire-fighters 6.1 Personal precautions, protectiv For non-emergency personnel For emergency responders 6.2 Environmental precautions Environmental precautions 6.3 Methods and materials for c	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Wear other appropriate protective equipment as conditions warrant (see Section 8). SECTION 6: Accidental release measures Re equipment and emergency procedures No harm expected. No harm expected. No harm expected. No special precautions necessary. Not harmful to the environment. No special precautions necessary.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Protective measures

Obtain special instructions before use. When using, do not eat, drink or smoke. Wash hands thoroughly before and after handling. Seal packaging

tightly after usage. Clean already opened packages outward disinfectant and seal it again after usage.

7.2 Conditions for safe storage, includi	ng any incompatibilities.	
Technical measures and	Store indoors tightly closed away from direct sunlight in a dry, cool and	
storage conditions	well-ventilated area, away from food and drink. Store at temperatures	
	below 25°C and above 10 °C. Protect from sunlight. Eliminate all ignition	
	sources	
Packaging materials	Glass packaging, polymer packaging.	
7.3 Specific end uses		
Recommendations	Read and follow label instructions	
	section 13.	

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Exposure limit values	Substance name	CAS No.	EC No.	Exposure
				Limits
	Methanol	67-56-1	200-659-6	Oral
				Dermal
				Inhalation: vapor

8.2. Exposure controls

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH)

PERMANENT MAKE-UP PIGMENTS

trademark "Pigments of Alina Shakhova" (AS PIGMENTS)

ТУ 20.42.15 - 001 - 31408812 - 2020

Version: 1.0 / EN		Page 4 of 7	Revision date: 09.01.2020 г.
<u> </u>			
Appropriate Enginee	ering	Use adequate ventilation, or other engineering controls to keep airborne	
Measures		levels below recommend exposure limits.	
Individual protection	n measures,		
such as personal pro	otective		
equipment			
Eye and face protection Wear safety goggles if risk of an eye contact.			
Skin protection		No special requirements under normal use conditio	ins.
Hand protection		Wear suitable protective gloves.	
Body Protection		Wear protective apron to prevent contamination of	f clothing.
Respiratory protection	on	Use adequate ventilation.	
Environmental	exposure	Contain spills and prevent releases.	
controls			
Hygiene measures		Do not eat, drink, and/or smoke during application. personal hygiene measures, such as washing hands	

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties		
Physical State	Homogeneous liquid suspension	
Colour	According to standard	
Odou r	Neutral to slightly alcoholic	
рН	5.0-7.0	

Melting point/Freezing point	No data available
Initial boiling point/boiling	No data available
range	
Flash point	No data available
Evaporation rate	No data available
Flammability Limits	No data available
Explosive limits	No data available
Vapour pressure	No data available
Vapour density	No data available
Relative	Density 1100-1500 g/cm3
Solubility	Soluble in water.
Partition coefficient	No data available
Octanol/Water	No data available
Auto-ignition temperature	No data available
Decomposition temperature	No data available
Viscosity @20±2oC	70-200
Explosive properties	Not explosive
Oxidizing Properties	Not applicable
Possibility of hazardous	Not applicable
reactions	

SECTION 10: Stability and reactivity

10.1. Reactivity

No specific reactivity hazards associated with this product.

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH)

PERMANENT MAKE-UP PIGMENTS

trademark "Pigments of Alina Shakhova" (AS PIGMENTS)

ТУ 20.42.15 - 001 - 31408812 - 2020

Version: 1.0 / EN	Page 5 of 7	Revision date: 09.01.2020 r.
10.2. Chemical stability		
Stable under recommended storage conditions		
10.3. Possibility of hazardous reactions		
None under normal processing.		
10.4 Conditions to avoid		
Avoid exceeded temperatures.		
10.5 Incompatible materials		
None known.		
10.6 Hazardous Decomposition products		
None under normal use		

SECTION 11: Toxicological information

11.1 Information on toxicological e	ffects
Acute toxicity	Oral LD 50:> 2500 mg / kg
Skin corrosion/irritation	Not expected to cause skin irritation or corrosion.
Serious eye damage/eye irritation	Direct contact may irritate the eyes.
Respiratory or skin	Not expected to cause respiratory or skin.

sensitisation Germ cell mutagenicity Carcinogenicity

Reproductive toxicity STOT - Single exposure STOT - Repeat exposure Aspiration hazard Not expected to cause germ cell mutagenicity. No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. May cause harm to breast-fed children. Not determined. Not determined. Not expected to be an aspiration hazard.

SECTION 12: Ecological information

Substance name	CAS No.	EC No.	Toxicity to fish	Toxicity to invertebrates	Toxicity to microorganisms
Methanol	67-5 6-1	200- 659- 6	Golden orfe: LC50(48h) = 8970-9280 mg/L	Daphnia magna: LC50(24 h)> 10000 mg/L	Pseudomonas putida: TGK(16 h)=1050 mg/L
Glycerin	56- 81- 5	200- 289- 5	Oncorhynchus m y k i s s : LC50(96h) = 54,000 mg/L	Daphnia magna: LC50(48h)= 1955 mg/L	P s e u d o m o n a s putida: NOEC (16 h)>10,000 mg/ L

12.1 Toxicity

Aquatic toxicity

No test data for the mixture as whole.

12.2 Persistence and Degradability

Biodegradation	This product has not been tested for persistence or biodegradability.
12.3 Bioaccumulative potential	

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH)

PERMANENT MAKE-UP PIGMENTS

trademark "Pigments of Alina Shakhova" (AS PIGMENTS)

ТУ 20.42.15 - 001 - 31408812 - 2020

Version: 1.0 / EN	Page 6 of 7	Revision date: 09.01.2020 г.
Bioaccumulative potential	Bioaccumulation is unlikely to be significated the solid compounds. Accumulation of the unlikely as well.	

Partition coefficient	Not determined.
12.4 Mobility in soil	
Mobility	The liquid phase of the product is water soluble, the solid phase of the product
	is insolublemand will sediment in static liquid systems.
12.5 Results of PBT and vPvB assessment	

This product does not contain any PBT or vPvB substances.

12.6 Other adverse effects

None known.

SECTION 13: Disposal considerations

13.1 Waste treatment methods	
Product / Packaging disposal	Not defined as hazardous waste. Dispose of residual waste in accordance with
	local regulations.
Contaminated packaging	Contaminated packaging may contain traces of the product and therefore
	should be disposed of in the same way as product.

SECTION 14: Transport information

16.1 H-phrases

H225: Highly flammable liquid and vapour

H319: Causes serious eye irritation

H336: May cause drowsiness or dizziness

16.2 Abbreviations and acronyms

INCI: The International Nomenclature of Cosmetic Ingredients

CAS: Chemical Abstracts Service (division of the American Chemical Society)

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH)

PERMANENT MAKE-UP PIGMENTS trademark "Pigments of Alina Shakhova" (AS PIGMENTS)

ТУ 20.42.15 - 001 - 31408812 - 2020

Version: 1.0 / EN

EC: European Community

GHS02: GHS hazard pictogram "Flame"

GHS07: GHS hazard pictogram "Exclamation mark"

Dgr: Signal word "Danger"

Flam. Liq. 2: Flammable liquid. Category 2

Eye Irrit. 2: Eye Irritant. Category 2

STOT SE 3: Specific target organ toxicity – single exposure, hazard category 3

SCBA: Self Contained Breathing Apparatus

ACGIH: Association Advancing Occupational and Environmental Health

TWA: Time-weighted Average concentration

STEL: A short-term exposure limit

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

TGK: Toxicity Threshold Concentration

NOEC: No Observable Effect Level

bw: body weight

STOT SE: Specific target organ toxicity - single exposure

STOT RE: Specific target organ toxicity - repeated exposure

vPvB: Very persistente and very bioaccumulative

PBT: Polybutylene Terephthalate

IARC: International Agency for Research on Cancer

ADR/RID: Accord Dangereuses Route/International Carriage of Dangerous Goods by Rail

IMDG/IMO: International Maritime Dangerous Goods/International Maritime Organisation

ICAO/IATA: International Civil Aviation Organization/International Air Transport Association

ADN: International Carriage of Dangerous Goods by Inland Waterways

16.3 Training advice

Do not use in the eyes.

Do not use beyond the expiration date.

Do not use after 12 months of opening and in any case beyond the expiration date.

16.4 Further information

Date of issue: 9th January 2020 Version no. 1.0

The above information is considered accurate as of the date of preparation of this material safety data Sheet and is provided on the basis of conscientiousness and according to the level of their knowledge. Since the use of this information and the terms of use of the product are not under the control of LLC "Dina+", users are responsible for complying with the laws and applicable the rules of hygiene and safety.

The manufacturer of pigments for permanent makeup of the trade mark "Alina Shakhova's Pigments" (AS PIGMENTS) LLC "Dina+" by order of LLC "Alina Shakhova's permanent makeup training center" is not responsible in case of misuse.